





# LIST OF Curtiss' First Series of West Indian Plants.

COLLECTED ON NEW PROVIDENCE ISLAND,  
BAHAMAS, IN 1902-03.

212 Numbers, of which 200 or more will be found in each set.

- Odontosoria clavata (Sw.) J. Sm.  
Sagenia sp.  
Pteris caudata L.  
Schizachyrium gracile (Spreng.), Nash.  
Paspalum fimbriatum Kth.  
    coryphaeum Trin.  
    gracillimum Nash.  
    conjugatum Berg.  
Anastrophus compressus (Sw.), Schlecht.  
Panicum molle Sw.  
    maximum Jacq.  
    proliferum Lam.  
    grossarium L.  
    condensum Nash.  
    paspaloides Pers.  
Chloris ciliata Sw.  
    barbata (L.) Nash.  
    Paraguayensis Steud.  
    eleusinoides Gr.  
Eragrostis ciliaris (L.) Link.  
Uniola virgata Sw.  
Diplachne fascicularis (Lam.), Beauv.  
Artachne sp.  
Arthrostylidium capillifolium Griseb.  
Cyperus ochraceus Vahl.  
Schoenus nigricans L.  
Eleocharis capitata (L.) R. Br.  
Phynchospora caduca Ell.  
    perplexa Britton.  
    divergens chapm.  
Thrinax Keyensis Sargent.  
Coccothrinax jucunda Sargent.  
Catopsis Berteroniana (Schult.), Mez.  
Gyrostachys Peruviana (Aubl.)  
Orchid nov. gen.?  
Commelina elegans H. B. K.  
Rhaeo discolor (L'Her.), Hance.  
Sansevieria Guineensis Willd.  
Furcraea Cubensis (Jacq.), Vent.  
Smilax Havanensis Jacq.  
Trema Lima (Lam.), A. S. Hitch.  
Ficus pertusa L.  
    lentiginosa Vahl.  
Fleurya castuans (L.) Gaud.  
Coccoloba tenuifolia L.  
Bougainvillea glabra Choisy.  
Basella rubra L.  
Lithophila muscoides Sw.  
Alternanthera paronychioides St. Hil.  
Boerhaavia scandens L.  
Pisonia calophylla Heimerl.  
Persea Persea (L.) Cockerell.  
Moringa Moringa (L.) Small.  
Bryophyllum pinnatum (Lam.), F. Kurz.  
Lysiloma latisiliqua (L.) Benth.  
Albizzia Lebbek (Willd.) Benth.  
Acacia choriophylla Benth.  
Vachellia Farnesiana (L.) W. & A.  
Leucaena glauca (L.) Benth.  
Calliandra formosa Benth.  
Acuan virgatus (L.) Medic.  
Cassia villosa Mill.  
    virgata Sw.  
    polyadenia D C.  
    Sophora L.  
    sericea Sw.  
    biflora augustisiliqua Lam.  
Caesalpinia coriacea (Jacq.), Willd.  
    Bahamensis Lam.
- Guilandina Bonduc L.  
    Bonducella L.  
Haematoxylon Campechianum L.  
Ateleia Cubensis Griseb.  
Phaseolus semierectus L.  
Galactia spiciformis, T. & G.  
Canavalia obtusifolia D C.  
Clitoria ternatea L.  
Sesban sericea D C.  
Cajanus Cajan (L.) Millsp.  
Abrus precatorius (L.)  
Indigofera Anil L.  
Stylosanthes hamata (L.), Taub, 2 Nos.  
Crotalaria retusa L.  
    verrucosa L.  
Phyllanthus falcatus Sw.  
    Bahamensis Urban.  
    Niruri L.  
    Carolinensis Walt.  
Acalypha alopecuroides Jacq.  
Croton lucidus L.  
    flocculosus Geis.  
    Eleuteria L.  
Euphorbia Nashü Small  
    heterophylla prunifolia Jacq.  
Excoecaria lucida Sw.  
Buxus Bahamensis Baker.  
Myroxylon infestum (Griseb.), Kr. & Urb.  
Banara reticulata Griseb.  
Zuelania laetioides Rich.  
Erythroxyllum obovatum Macf.  
Gyminda Grisebachii Sargent.  
Fagara flava (Vahl.), Krug. & Urban.  
Picramnia pentandra Sw.  
Bursera gummifera L.  
Cissus tuberculata Jacq.  
Crossopetalum pallens (Smith), Northrop.  
Ilex repanda Griseb.  
    Krugiana Loes.  
Cardiospermum microcarpum Kth.  
Alvaradoa amorphoides Liebm.  
Thouinia discolor Gr.  
Triopteris rigida Sw.  
Gouania Domingensis L.  
Colubrina reclinata Brongn.  
Helicteres spiralis Northrop.  
Corchorus hirsutus L.  
    siliquosus L.  
Triumfetta lappula L.  
Melochia pyramidata L.  
    tomentosa L.  
    nodiflora Sw.  
Waltheria Bahamensis Britton.  
Abutilon incanum (Link) Swect.  
    crispum (L.) Medic.  
    permolle G. Don.  
Sida nervosa D C.  
    acuminata D C.  
    ciliaris L.  
Malvastrum Americanum L., Torr.  
Gossypium barbadense L.  
Thespesia populnea Cav.  
Linum Bahamense Northrop.  
    Curtissü Small.  
Passiflora ciliata Ait.  
    pectinata Griseb.  
    rubra L.  
    cuprea L.  
    quadrangularis L.
- Turnera microphylla Desv.  
Proserpinaca palustris L.  
Ammania latifolia L.  
Jussiaea suffruticosa L.  
Parsonsia Parsonsia (L.) Britton.  
Eugenia axillaris (Sw.) Willd.  
    buxifolia (Sw.) Willd. 2 Nos.  
Psidium sp.  
    guava Radd.  
Tetrazygia bicolor (Mill.) Cogn.  
Bumelia cuneata Sw.  
Dipholis salicifolia A. D C.  
Chrysophyllum oliviforme Lam.  
Achras Sapota L.  
Rapanea Guianensis Aubl., 2 Nos.  
Asclepias Curassavica L.  
Echites Andrewsü Chapm.  
Rhabdadenia Sagraei (A. D C.) Muell.  
    Bahamensis Britton.  
Ipomoea Antillana Millsp.  
    microdactyla Griseb.  
Jacquemontia Jamaicensis (Jacq.) Hall.  
Evolvulus arbusculus Poir.  
Sabbatia campanulata (L.) Torr.  
Marilaunidium Jamaicense (L.) Ktze.  
Cordia Lima R. & S.  
Beureria succulenta Jacq.  
Priva lappulacea (L.) Pers.  
Lantana crocea Jacq.  
Duranta repeas L.  
Mesosphaerum suaveolens (L.) Ktze.  
Salvia occidentalis Sw.  
Leonurus Sibiricus L.  
Teucrium Cubense L.  
Cestrum pallidum Lam.  
Solanum torvum Sw.  
Physalis ixocarpa Brot.  
Datura suaveolens Humb.  
Maurandia antirrhiniflora Willd.  
Stemodia maritima L.  
Tecoma leucoxyllum (L.) Mart.  
Blechum Brownei Juss.  
Athacanthus acicularis (Sw.) Nees.  
Thunbergia alata Bojer.  
    fragrans Roxb.  
Melothria Guadalupensis Cogn.  
Momordica Charantia L.  
Antirrhoea myrtifolia Griseb.  
Phiolanthus myrtilloides Griseb.  
Strumpfia maritima Jacq.  
Chiococca parvifolia Wulfs.  
Petitia Pocppigü Schauer.  
Rhachicallis maritima (Jacq.) Schum.  
Spermacoce tenuior Lam.  
Borreria laevis (Lam.) Griseb.  
Chaptalia albicans (D C.) Vent.  
Sachsia Bahamensis Urban.  
Emilia sonchifolia D C.  
Synedrella nodiflora (L.) Gaertn.  
Anastrophia Northropiana Greenm.  
Stemmodontia lanceolata (D C.) Britton.  
Salmea petrobiodes Gr.  
Erigeron quercifolium Lam.  
Aster exilis Ell., 2 Nos.  
Eupatorium conyzoides V.  
    ageratifolium D C.  
    Bahamense Northrop.  
Ageratum Conyzoides L.  
Vernonia Bahamensis Gr.

Handwritten text, possibly a signature or initials, located in the upper right corner.

Handwritten text enclosed in a rectangular box, located in the lower right corner.



List of Series II. of

AT HARVARD

# Curtiss' West Indian Plants.

Collected in Isla de Pinos in 1903-04.

- Marsilia Caribaea Underw.  
Lycopodium cernuum L.  
Neuromanes pinnatus (Hedw.) Underw.  
Lygodium venustum Sw.  
Adiantum fragile Sw.  
    melanoleucum Willd.  
    villosum L.  
Blechnum occidentale L.  
Odontosoria fumarioides (Sw.) J. Smith.  
Dicranopteris rigida (Kunze) Underw.  
Alsophila Wrightii Underw.  
Goniopteris oblitterata (Sw.) Underw.  
Nephrolepis biserrata (Sw.) Schott.  
Hackelochloa granularis (L.) Kuntze.  
Andropogon leucostachys H. B. K.  
    bicornis L.  
    spathiflorus Kunth.  
Amphiolepis saccharoides (Sw.)  
Reimaria acuta Fluegge.  
Paspalum sp.  
    rottboellioides Wright.  
    filiforme Sw.  
    virgatum L.  
    pilosum Sw.  
Dimorphostachys pedunculata (Poir.)  
    Fourn.  
Anastrophus compressus (Sw.) Schlecht.  
    tristachyus (Lam.)  
Anthænantia lanata (H. B. K.) Benth.  
Syntherisma sp.  
Oplismenus setarius (Lam.) R. & S.  
Echinochloa colona (L.) Link.  
Panicum diffusum Sw.  
    Cayennensis Lam.  
    angustifolium Ell.  
    comophyllum Nash.  
    laxum Sw.  
    Sloanei Griseb.  
    rottboellioides H. B. K.  
Sacciolepis striata (Lam.)  
Olyra latifolia L.  
Achlæna piptostachya Griseb.  
Paratheria prostrata Griseb.  
Sporobolus Indicus (L.) R. Br.  
    purpurascens (Sw.) Hamilt.  
Leptochloa mucronata (Michx.) Kunth.  
Reynaudia filiformis Kunth.  
Eragrostis Bahiensis Steud.?  
    hypnoides (Lam.) B. S. P.  
Cyperus Swartzii (Dietr.) Boeckl.  
Kyllingia brevifolia Rottb.  
Fuirena umbellata Rottb.  
    simplex Vahl.  
Abildgaardia monostachya (L.) Vahl.  
Eleocharis interstincta (Vahl) R. & S.  
Fimbristylis ferruginea (L.) Vahl.  
Stenophyllus paradoxus (Spreng.)  
Rhynchospora plumosa Ell.  
    cyperoides (Sw.) Mart.  
    cephalotoides Griseb.  
    globosa R. & S.  
    cymosa (Willd.) Nutt.  
Scleria trichopoda Wright.  
    Wrightiana Boeckl.  
    lithosperma (L.) Sw.  
Roystonia regia (L.) Cook.  
Geonoma intermedia Griseb. & Wendl.  
Copernicia Wrightii Griseb. & Wendl.  
    hospita Mart.  
Colpotherinax Wrightii Griseb. & Wendl.  
Thrinax sp.  
Sabal sp.  
Tillandsia Balbisiana Schl.  
    fasciculata Sw.  
    tenuifolia L.  
Guzmania monostachya (L.) Rusby.  
Bromelia Pinguin L.  
Agave sobolifera Salm.  
Atamosco rosea (Lindl.) Greene.  
Rajania hastata L.  
Musa sapientum L.  
Tetramicra Eulophiæ Rchb. f.  
Piper aduncum L.  
Antigonum leptopus H. & A.  
Chamissoa altissima H. B. K.  
Gomphrena decumbens Jacq.  
Achyranthes Indica (L.) Mill.  
Boerhaavia paniculata Rich.  
Pisonia rotundata Griseb.  
Drymaria cordata Willd.  
    ortegioides Griseb.  
Curatella Americana L.  
Davilla rugosa Poir.  
Anona palustris L.



- Clidemia hirta* (L.) D. Don.  
*Tamonea prasina* (Sw.) Krasser.  
     *delicatula* (A. Rich.)  
     *impetiolearis* (Sw.) Britton.  
*Ammannia auriculata* Willd.  
*Parsonia micrantha* (H. B. K.)  
     *Grisebachiana* (Koehe)  
     *cordifolia* (Sw.)  
*Bucida Buceras* L.  
*Buchenavia capitata* (Vahl) Eichl.  
 Myrtacea  
*Eugenia* sp.  
     *punicifolia* DC.  
     *Jambos* L.  
*Jussiaea octonervia* Lam.  
     *Peruviana* L.  
*Centunculus pentrandrus* R. Br.  
*Jacquinia Curtissii* Britton.  
*Lucuma nervosa* A. DC.  
*Vitellaria mammosa* (L.) Radlk.  
*Rauwolfia heterophylla* R. & S.  
*Cameraria retusa* Griseb.  
*Plumiera obtusa* L.  
*Rhabdadenia Cubensis* Muell. Arg.  
*Echites myrtifolia* R. & S.  
*Metastelma linearifolium* A. Rich.  
*Evolvulus incanus* Pers.  
     *alsinoides* L.  
*Jacquemontia verticillata* (L.) Urban.  
*Ipomœa fastigiata* (Roxb.) Sweet.  
     *nymphaefolia* Griseb.  
     *quinquefolia* Griseb.  
     *tenuissima* Choisy.  
*Nama nigricaulis* (Wright) Kuntze.  
*Schwenckia Americana* L.  
*Solanum* sp.  
     *Jamaicense* Sw.  
*Cestrum diurnum* L.  
*Cordia gerascanthoides* H. B. K.  
     *calococca* L.  
     *globosa* (L.) H. B. K.  
*Heliotropium inundatum* Sw.  
     *pauciflorum* (DC.) Griseb.  
*Citharexylum caudatum* L.  
*Clerodendron fragrans* Willd.  
*Avicennia nitida* Jacq.  
*Salvia* sp.  
*Mesosphærum* sp.  
     *uliginosum* (St. Hil.) Kuntze.  
     *minutiflorum* (Griseb.) Kuntze.  
     *rugosum* (L.) Pollard.  
     *pectinatum* (L.) Kuntze.  
     *capitatum* (L.) Kuntze.  
*Ilysanthes Curtissii* Britton.  
*Angelonia Cubensis* Robinson.  
*Buchnera elongata* Sw.  
*Stenandrium droseroides* Nees.  
*Pinguicula filifolia* Wright.  
*Crescentia Cujete* L.  
*Tabebuia lepidophylla* (Rich.)  
*Oldenlandia herbacea* (L.) DC.  
     *uniflora* L.  
*Coccocypselum nummulariaefolium*  
     C. & S.  
*Guettarda calyptrata* Rich.  
*Rondeletia correifolia* Griseb.  
*Psychotria costivenia* Griseb.  
*Amaioua fagifolia* Desf.  
*Alibertia edulis* Rich.  
*Gonzalea leptantha* Rich.  
*Borreria ocimoides* (Burm.) DC.  
     *podocephala* DC.  
*Diodia rigida* C. & S.  
*Distreptus spicatus* (Juss.) Cass.  
*Elephantopus mollis* Kunth.  
*Willughbæya ranunculæfolia* (Rich.)  
*Lachnorhiza asteroides* DC.  
*Erigeron Jamaicensis* Sw.  
*Conyza lyrata* H. B. K.  
*Aplopappus marginatus* Griseb.  
*Phania matricarioides* (Less.) Griseb.  
*Isocarpha divaricata* Benth.  
*Gnaphalium purpureum* L.  
*Acanthospermum humile* (Sw.) DC.  
*Parthenium Hysterophorus* L.  
*Stemmodontia trilobata* (L.) Small.  
*Neurokæna lobata* (L.) R. Br.  
*Eleuranthera ruderalis* (Sw.) Sch. Bip.  
*Pectis pratensis* Wright.  
     *ciliaris* L.  
*Enhydra sessilis* (Sw.) DC.  
*Sachsia polycephala* Griseb.  
*Struchium Sparganophorum* (L.) Kuntze.

---

NOTE—This Series contains 13 supplementary numbers not enumerated above. It is expected that the few names lacking in the list will be supplied before the Series is ready to send out.

A. H. CURTISS,  
 Jacksonville, Florida, U. S. A.  
 August 10, 1904.





FC  
729  
C94 #

MICHIGAN  
AT HARVARD

LIST OF SERIES III.

.OF

Curtiss' West Indian Plants

Collected in the Province of Havana, Cuba,  
in 1904-05.

- Ornithopteris adiantifolia (L.) Bernh.
- Acrostichum aureum L.
- Phymatodes exiguum (Hew.) Underw.
- Pteris longifolia L.
- Adiantum tenerum Sw.  
    capillus-veneris L.
- Cheilanthes microphylla Sw.
- Heterophlebium grandifolium (L.) Fee.
- Tectaria trifoliata (L.) Cav.
- Dryopteris patens (Sw.) Kuntze.  
    sclerophylla (Kze.)
- Goniopteris reptans (Sw.) Presl.
- Selaginella stolonifera (Sw.) Spring.
- Limnocharis flava (L.) Buchenau.
- Arundinella martinicensis Trin.
- Opizia stolonifera Presl.
- Polydon sp.
- Leptochloa virgata (L.) Beauv.
- Chloris cruciata Sw.
- Dactyloctenium aegyptium (L.) Willd.
- Heterosteca americana (L.) Desv.
- Paspalum fimbriatum (Link.) Nash.
- Panicum prostratum Lam.  
    fasciculatum Sw.  
    brevifolium L.  
    trichanthum Nees.
- Oplismenus loliaceus Lam.
- Chaetochloa imberbis (Poir.) Scribn.  
    verticillata (L.) Scribn.
- Schizachyrium brevifolium (Sw.)
- Sorghum Halepense (L.) Pers.
- Saccharum officinarum L.
- Ischaemum rugosum Salisb.
- Olyra pauciflora Sw.
- Cyperus humilis Kunth.  
    giganteus Vahl.  
    elegans L.  
    filiformis Sw.
- Fimbristylis glomerata (Retz.) Urban.
- Scleria madrugana Britton.
- Livistona chinensis Mart.
- Anthurium recussatum Schott.
- Tillandsia utriculata L.  
    aloifolia Hook.  
    recurvata L.
- Smilax mollis Willd
- Aloe vera L.
- Stenorhynchus orchioides (Sw.) Rich.
- Piper hispidum Sw.
- Heckeria umbellata (L.) Kunth.
- Ficus religiosa L.  
    sapotifolia Kunth & Bauche.
- Urera baccifera (L.) Gaud.
- Fleurya cuneata (Rich.) Wedd.
- Boehmeria littoralis Sw.
- Adicea microphylla (L.) Kuntze.
- Polygonum punctatum Ell.  
    portoricense Bert.
- Iresine paniculata (L.) Kuntze.
- Alternanthera spinosa (Hornem.) R. & S.
- Amaranthus crassipes Schl.
- Pisonia aculeata L.
- Cryptocarpus globosus, H. B. K.
- Rivina humilis L.  
    octandra L.
- Petiveria alliacea L.
- Sesuvium microphyllum Willd.
- Cypselea humifusa Turp.
- Oxandra virgata Rich.
- Bocconia frutescens L.
- Roripa glabra (E. E. Schultz) Britton
- Capparis Grisebachii Eichl.
- Cleome Houstoni R. Br.
- Pedicellaria pentaphylla (L.) Schrank.
- Parosela domingensis (D.C.) Heller.
- Galactia striata (Jacq.) Urban.
- Calopogonium caeruleum (Bth.) Hemsl.
- Dolicholus minimus (L.) Medic.  
    reticulatus (Sw.) Millsp.
- Phaseolus lunatus L.
- Teramnus uncinatus Sw.
- Phlebotaenia cuneata Griseb.

- Cassia bicapsularis* L.  
     *serpens* L.  
*Parkinsonia aculeata* L.  
*Bauhinia heterophylla* Kunth.  
*Poinciana pulcherrima* L.  
*Mimosa asperata* L.  
*Tribulus cistoides* L.  
*Suriana maritima* L.  
*Fagara Fagara* (L.) Small.  
*Amyris balsamifera* L.  
*Triphasia trifoliata* (L.) D.C.  
*Murraya exotica* L.  
*Trichilia havanensis* Jacq.  
*Triopteris rigida* Sw.  
 Malpighiaceae.  
*Euphorbia picta* Jacq.  
     *prostrata* Ait.  
     *Torralsbasii* Urban.  
     *Mendezii* Boiss.  
     *pilulifera procumbens* Boiss.  
     *hypericifolia* L.  
     *brasiliensis* Lam.  
     *buxifolia* Lam.  
     *trichotoma* H. B. K.  
*Croton nummulariaefolius* A. Rich.  
*Acalypha* sp.  
     *ostryaefolia* Ridd.  
*Tragia volubilis* L.  
*Platygyne hexandra* Muell. Arg.  
*Dalechampia scandens* L.  
*Ricinella Ricinella* (L.)  
*Crossopetalon aquifolium* (Griseb)  
*Serjania subdentata* Juss. & Poir.  
*Cupania glabra* Sw.  
*Sapindus marginatus* Willd.  
*Colubrina* sp.  
*Cissus sicyoides* L.  
*Waltheria americana* L.  
*Anoda hastata* Cav.  
*Sida pyramidata* Cav.  
*Bastardia viscosa* (L.) H. B. K.  
*Gaya occidentalis* (L.) Griseb.  
*Abutilon hirtum* G. Don.  
*Pavonia spinifex* (L.) Cav.  
*Malvaviscus grandiflorus* H. B. K.  
*Hibiscus tubiflorus* D.C.  
*Ouratea ilicifolia* (D.C.) Baill.  
*Casearia spinescens* (Sw.) Griseb.  
     *ramiflora* Vahl.  
*Passiflora minima* L.  
*Turnera ulmifolia* L.  
*Quisqualis indica* L.  
*Terminalia Catappa* L.  
*Eugenia ligustrina* Willd.  
*Hydrocotyle spicata* Lam.  
*Apium ammi* (L.) Urban.  
*Jacquinia axillaris* Oerst.  
     *aculeata* L.) Mez.  
*Plumbago scandens* L.  
*Vallesia glabra* Cav.  
*Ammocallis rosea* (L.) Small.  
*Tabernaemontana citrifolia* Jacq.  
*Marsdenia campanulata* Griseb.  
*Asclepias nivea* L.  
*Ipomoea obtusata* Griseb.  
     *umbellata* (L.) Meyer.  
     *reptans* Poir.  
     *triloba* L.  
*Pharbitis cathartica* (Poir.) Choisy.  
*Cordia alba* (Jacq.) R. & S.  
*Bourreria virgata* Don.  
*Ehretia tinifolia* L.  
*Tournefortia scabra* Lam.  
     *bicolor* Sw.  
     *hirsutissima* L.  
*Heliotropium indicum* L.  
     *parvifolium* L.  
     *curassavicum* L.  
     *humifusum* H. B. K.  
*Verbena officinalis* L.  
*Lantana Camara* L.  
     *trifolia* L.  
     *involucrata* L.  
*Lippia dulcis* Trev.  
     *stoechadifolia* (L.) H. B. K.  
     *nodiflora* (L.) Michx.  
*Valerianodes jamaicensis* (L.) Medic.  
*Citharexylum cinereum* L.  
*Ocimum sanctum* L.  
*Salvia micrantha* Vahl.  
     *privoides* Benth.  
*Capsicum baccatum* L.  
*Solanum havanense* Jacq.  
     *bahamense* L.  
*Physalis minima* L.  
*Nicotiana plumbaginifolia* Viv.  
*Russelia sarmentosa* Jacq.  
*Buddleia americana* L.  
*Capraria biflora pilosa* Griseb.  
*Stemodia durantifolia* Sw.  
*Neomacfadyena polopogon* (Griseb.)  
*Tecoma Berterii* D.C.  
*Stenolobium stans* (L.) D. Don.  
*Rhytidophyllum crenulatum* D.C.  
*Ruellia tuberosa* L.  
*Jacobinia Mohintli* (Nees) Hemsl.

Justicia Adhatoda L.  
Sanchezia nobilis Hook.  
Psychotria rufescens H. B. K.  
    undata Jacq?  
    pubescens Sw.  
Morinda Roioe L.  
Randia Sagraeanum (Rich.) Griseb.  
Rondeletia odorata Jacq.  
Ixora coccinea L.  
    Thwaitesii Hook. f.  
Exostemma caribaeum (Jacq.) R. & S.  
Mitracarpus sp.  
    crassifolius Rich.  
Oldenlandia callitrichoides Griseb.  
Lobelia Cliffortiana L.  
Isotoma longiflora (L.) Presl.  
Iva cheiranthifolia Kunth.  
Vernonia menthaefolia Less.  
Ageratum muticum Griseb.

Eupatorium villosum Sw.  
Willugbaeya hastata (L.) Kuntze.  
Pluchea odorata (L.) Cass.  
    purpurascens (Sw.) D.C.  
Egletes viscosa Less.  
Nocca mollis (Cav.) Juss.  
Eclipta alba (L.) Hassk.  
Melanthera nivea (L.) Small.  
Spilanthes Acmella L.  
Stemmodontia reticulata (D.C.)  
Borrichia arborescens (L.) D.C.  
Trixis Trixis (L.)  
Viguiera helianthoides H. B. K.  
Verbesina alata L.  
Calyptrocarpus vialis Less.  
Bidens leucantha (L.) Willd.  
Tridax procumbens L.  
Flaveria trinervia (Spreng.) Mohr.  
Dysodia porophylla Cav.

NOTE—This series, like the last preceding, includes several woody plants which in Cuba are found only in cultivation. For these and numerous native species I am indebted to the great courtesy of the gentlemen in charge of the Botanical Garden in Havana. Counting the supplementary numbers, which are not enumerated above, subscribers may expect to receive about 230 species. I expect to send out all the plants fully named, and hope to be able to supply the few names lacking in Series II.

July 15, 1905.

A. H. CURTISS,  
Jacksonville, Florida, U. S. A.

